



Ningbo Junsheng Electronics Co.,LTD.

Part No: JSL-1870WWC

Features:

- Single color
- High bright output
- Low power consumption
- High reliability and long life


Descriptions

- Super Flux LED Lamp
- Emitting Color: Super Bright Warm White
- Device Outline: Square(7.6mm x 7.6mm) with 3mm dome
- Lens Type: Water Clear

Application:

- Automotive lighting.
- Electronic signs and signals.
- Special Lighting Application.

Package Dimension:



Notes:

1. All dimensions are millimeters/单位: mm.
2. Tolerance is ± 0.25 mm unless otherwise noted/
没有标注的公差均为 ± 0.25 mm

Absolute maximum ratings (Ta = 25°C)

Parameter	Symbol	Test Condition	Values		Unit
			Min.	Max.	
Reverse Voltage	V _R	I _R = 30 μA	5	--	V
Forward Current	I _F	----	----	30	mA
Power Dissipation	P _d	----	----	102	mW
Pulse Current	I _{peak}	Duty=0.1mS, 1kHz	----	100	mA
Operating Temperature	T _{opr}	----	-40	+85	°C
Storage Temperature	T _{str}	----	-40	+100	°C

Electrical and optical characteristics (Ta = 25°C)

Parameter	Symbol	Test Condition	Values			Unit
			Min.	Typ.	Max.	
Forward Voltage 正向电压	V _F	I _F =20mA	2.8	3.0	3.4	V
Reverse Current	I _R	V _R =5V	----	----	30	μA
Color Temperature	T _c	I _F = 20mA	----	3000	----	K
Luminous Intensity	I _v	I _F =20mA	3000	----	6000	mcd
Color Rendering index	CRI	I _F = 20mA	----	75	----	Ra
Viewing Angle	2 θ 1/2	I _F =20mA	----	70	----	deg.

Typical electrical/optical characteristic curves:

